

KADING d.o.o.
Inženjering i proizvodnja

WB

Washing unit



Grgura Karlovcana 52 ♦ HR-48000 Koprivnica
tel.: +385 48 601 275 ♦ mob.: +385 91 36 30 301
mail: kading@kading.hr ♦ web: www.kading.hr

DISCLAIMER

KADING reserves the right to change the characteristics and specifications of products listed in this catalogue without notice.

All content is provided for informational purpose and cannot be used for other purposes.




LET'S KEEP IT CLEAN

Only the best is good enough

KADING is an international, independent producer of industrial and maintenance equipment. Thanks to our carefully built up and maintained relationships with reputable suppliers, we offer an extensive range of products.

Standard product doesn't meet your needs? Then we will explore the possibilities and look for a solution tailored to your company's needs. We will adapt existing or develop a new product that completely meets your demands.

WASHING UNIT WB



- Washing unit WB is intended for cleaning of traffic surfaces (roads, sidewalks) with pressurized water;
- It is intended for mounting on vehicles equipped with front attachment plate according to EN 15432-F1 (other attachment plates on request) and with standard hydraulic according to EN 15431;
- It is equipped with washing bar for cleaning the road, attachment plate for mounting onto vehicle, cylinders for turning left/right and lifting / lowering the washing bar;
- Unit can be equipped with own high pressure water pump so customer can use his own tank, or it can be ordered with as complete kit consisting of the water tank and washing unit;
- Machine is controlled through control panel mounted in vehicle cab and it allows user to control of bar movements and water flow;
- Standard coating is combination of RAL 2011 / RAL 7015 / RAL3020, other RAL's possible per special customer request;



TECHNICAL SPECIFICATIONS :

- Working width 2,5 m
- Working pressure 50 bar
- Max. flow capacity 240 lit/min
- Fully hydraulically controlled from vehicle cabin
- Weight 250 kg
- Attachment plate according to EN15432-F1


RANGE OF APPLICATION

Washing unit is designed primarily for washing of the traffic surfaces and watering of construction sites to prevent dust.

PRODUCT SPECIFICATION

It consists of attachment plate on which is mounted washing bar with possibility to turn left / right and lifting / lowering. Unit functions are controlled by means of joystick and control unit from vehicle cabin..

FEATURES



BUILT-IN WATER PUMP

Front crane washer FCW is equipped with water pump with max. flow capacity 240 lit/min and working pressure up to 50 bar.

Working pressure can be adjusted on pressure regulator build on the water pump, while flow capacity can be adjusted through potentiometer build in into control unit in vehicle cab.



USER FRIENDLY CONTROL UNIT

Mounted in vehicle cabin, user friendly control unit enables operator to smoothly control movement of the crane and road washing bar.

Turn on/off, emergency push button, LED indicators, selection switch for washing bars and ergonomic joystick will help you do cleaning job in more efficient and enjoyable way.



STORAGE LEGS



Demountable storage legs enable quick mounting / demounting of the washing unit from the vehicle.

On customer request, they can be equipped with additional wheels for easy movement of the washing unit exclusively on flat concrete or asphalt ground.

KADING d.o.o.

Inženjering i proizvodnja

WE CREATE SOLUTIONS





+385 (0)48 60 12 75
+385 (0)91 363 03 01



kading@kading.hr



Grgura Karlovcana 52
HR-48000 Koprivnica
www.kading.hr